

JVC

ALL PRICES EXCLUDING VAT

CATALOGUE

UPDATED: 23 FEBRUARY 2026



Disclaimer: While every care has been exercised in compiling and publishing the data contained in these pages, NWI accepts no responsibility for errors of or omissions to the information.



SMART AOSP - HD/FHD/UHD

NON SMART

MODEL NO.:	RESOLUTION	BRIGHTNESS	HDMI	USB
LT-32N3100A/B	1366x768	200	2	2
LT-32N750/B/D	1366x768	200	3	2
LT-40N550A/B	1920x1080	220	2	2
LT-42N750C	1920x1080	220	2	2
LT-43N585C/B	1920x1080	220	2	2
LT-43N7115	3840x2160	250	3	2
LT-65N675A/B	3840x2160	300	2	2

SMART

Solution: HV351/ T972 UHD/HD

OS: Android 12.0/13.0/14.0

Memory: FHD:1GB+8GB UHD: 1.5GB+8GB

Preloaded APK: Netflix/ YouTube/ Facebook/ Twitter

M/E Share

Connectivity: COAX x 1, HDMI x 2,

USB x 2, RF Input x 1, AV (Composite) In x 1,

Component In x 1, Earphone In x 1

Resolution: 1920x1080

Dynamic Contrast Ratio: 5000:1

NON SMART

Solution: V53

Active Display Area: 697.685(h) x 392.256(V)

Aspect Ratio: 16:9

16.7m Colours

Panel Interface LVDS

Storage Channels: 199

Connectivity: COAX x 1, HDMI x 2,

RF Input x 1, AV In x 1, Component In x 1,

USB x 2, Earphone In x 1





GAMING/ SPORTS GTV Available end September

QLED

Resolution: UHD 3840x2160

Contrast Ratio: 5000:1

Display Colours: 1.076

MEMC

Dolby Vision

Dolby Atmos

Connectivity: 1 x RJ45/ 1 x Optical

1 x HDMI 2.2

3 x HDMI 1.4

1 x USB 3.0, 2 x USB 2.0

1 x Mini AV

Memory: 2GB+16GB

GTV 3.0

MODEL NO:	40'HQ	BRIGHTNESS	FREQUENCY
LT-43NQ7165	836	220	120
LT-50NQ7165	699	220	144
LT-55NQ7165	622	220	144
LT-65NQ7165	408	250	144
LT-75NQ7165	212	280	144
LT-85NQ7165	144	330	144
LT-100NQ7165	50	400	144





QLED SMART - SMART OPTION VIDAA/ OA/LG WEBOS

MODEL NO:	RESOLUTION	MEMORY	HDMI	USB	BRIGHTNESS	TYPE
LT-32NQ3155/A	1366x768	1GB+8GB	3	2	180	Whale/ASOP
LT-40NQ5155A/B	1920x1080	1GB+8GB	3	2	200	Whale/ASOP
LT-42NQ5155C	1920x1080	1GB+8GB	3	2	180	Whale/ASOP
LT-40NQ5165	1920x1080	1GB+8GB	3	2	220	Android 14
LT-43NQ5155	1920x1080	1GB+8GB	3	2	220	Whale/ASOP
LT-43NQ7155/A	3840x2160	1.5GB+8GB	3	2	250	Whale/ASOP
LT-49NQ5165	1920x1080	1.5GB+8GB	2	2	250	Android 14
LT-50NQ7115B/C	3840x2160	1.5GB+8GB	3	2	250	Whale/ASOP
LT-55NQ7145B/C/D	3840x2160	1.5GB+16GB	4	3	250	Whale/ASOP
LT-60NQ7165	3840x2160	1.5GB+8GB	3	2	250	Whale
LT-65NQ7115 BF	3840x2160	1.5GB+8GB	4	3	300	ASOP Android14
LT-70NQ7145	3840x2160	1.5GB+8GB	3	2	300	Vidaa
LT-75NQ7115B	3840x2160	1.5GB+8GB	4	3	300	Whale
LT-85NQ7145A	3840x2160	1.5GB+16GB	4	3	350	GTV
LT-90NQ7155	3840x2160	2GB+8GB	4	3	350	GTV
LT-100NQ7145	3840x2160	1.2GB+16GB	4	3	350	Whale/ASOP

SMART SOLUTION

Whale OS - Android base
QuadA35+Mali G31MP2
BT
Memory: 1GB+8GB FHD
1.5GB+8GB UHD

WebOs

CPU: ARM CA55 1.1GHz
OS: WebOS 5.0

GTV

3.0, MEMC Dolby Vision
Dolby Atmos
Solution: GTV 310
MSD 9612
Memory: 2GB+8GB



JVC®

MONITORS

21.5" VA FLAT MONITOR 75HZ

LT-MN22260

SUPER NARROW BEZEL (SNB)
TN Panel
FHD 1920X1080
BRIGHTNESS 250nits
CONNECTIVITY VGA/HDMI+DC
VESA 100x100mm
CONTRAST RATIO 1000:1
FREESYNC
MPRT (GTG)
HDR COLOUR GAMBIT



24" FHD FLAT FIXED MONITOR

LT-MN24265

51CM (24") FHD FLAT LED MONITOR
RESOLUTION: 1920X1080
REFRESH RATE: 100HZ
BRIGHTNESS: 250CD/M2
RESPONSE TIME: 1MS
1XHDMI IN
1XVGA IN
1XAUDIO OUT
1XDC IN
SIZE: (INCL STAND)
566X255X440MM



JVC®

SLIM MONITORS

Borderless Display Screen: 16:9
 Contrast Ratio: 1000:1
 FHD (1920x1080) I/O Function HDMI+DP+Earphones
 MPRT (GTGI) HDR Colour Gambit
 Freesync - Flicker Free
 Brightness: 300cd/m2
 Refresh Rate: 75-100Hz



MODEL NO.:	DESCRIPTION	BRIGHTNESS	REFRESH RATE
LT-MN24246	23.8" IPS FLAT MONITOR	300	75-100Hz
LT-MN27246	27" IPS FLAT MONITOR	300	75-100Hz
LT-MN32246	32" IPS FLAT MONITOR	300	75-100Hz





SLIM FLAT MONITORS

Borderless Display Screen: 16:9
Contrast Ratio: 1000:1
FHD (1920x1080)
I/O Function HDMI+DP+Earphones+Speakers
MPRT (GTG) HDR Colour Gambit
Free Sync - Flicker Free

MODEL NO.:	DESCRIPTION	BRIGHTNESS	REFRESH RATE	40'HQ
LT-MN22255	21.45" IPS FLAT MONITOR	250	75Hz	2500
LT-MN24256	23.8" IPS FLAT MONITOR	300	75Hz	2200
LT-MN27255	27" IPS FLAT MONITOR	300	100Hz	1700
LT-MN32255	32" IPS FLAT MONITOR	300	100Hz	1440

21.45"/23.8"/27"



32"





GAMING MONITORS - FLAT

Gaming Monitor Flat
3 Side Borderless
Display 16:9
IPS
Refresh Rate: 180Hz
HDMIx2+DP+ Earphones+ Built-in speakers
Adjustable Stand
Colour Gamut SRGB 120% DCI-P3 95%

MODEL NO.:	DESCRIPTION	BRIGHTNESS	REFRESH RATE	40"HQ
LT-GN24255	23.8 FHD IPS	400	180HZ	2200
LT-GN27255	27" FHD IPS	400	180HZ	1700
LT-GN27455	27" QHD IPS	400	180HZ	1700





GAMING MONITORS - CURVED

27" EDGELESS GAMING MONITOR

LT-GN27225

27" FHD FLAT LED
1920*1080@165Hz,
1XHDMI + 1XDP+1XDC IN
+1XUSB, 1Xearphone,
Brightness: 250cd/m2
1m/s MPRT
(Moving Picture
Response Time)



27" EDGELESS GAMING QHD MONITOR

LT-GN27425

27" QHD FLAT LED
2560*1440@165Hz,
1XDP+2XHDMI + 1XDC IN+
+1XUSB, 1Xearphone,
Brightness: 250cd/m2
1m/s MPRT
(Moving Picture
Response Time)
Adjustable Base



32" EDGELESS CURVED ADJUSTABLE QHD GAMING MONITOR

LT-GN32525

32" QHD CURVED 1500R LED
2560*1440@165Hz,
1XDP+2XHDMI + 1XDC IN+
+1XUSB, 1Xearphone,
Brightness: 250cd/m2
1m/s MPRT (Moving
Picture Response Time)
Adjustable Base



34" CURVED ADJUSTABLE GAMING MONITOR

LT-GN34765

WQHD
3440x10440
Curved 1500R
Colour Gamut
Brightness 400cd/m2
Supports: HDR
Ambient Light



49" CURVED ADJUSTABLE GAMING MONITOR

LT-GN49745


Curved 1500R
Colour Gamut
Brightness 400cd/m2
Supports: HDR
Ambient Light



15.6" LED MONITOR

LT-PN1626

SIZE 15.6"
PANEL TYPE - IPS
RESOLUTION 1920X1080 FHD
CONTRAST: 1000:1
BRIGHTNESS: 250/M2
RESPONSE TIME: 1MS
INTERFACE 2X TYPE C
1X/MINI HDMI/
EARPHONE X1 /
MAGNETIC SHEATH
STAND BASE
ANTI-GLARE
170° VIEWING ANGLE
LOW BLUE LIGHT





PORTABLE MONITORS

QLED TOUCH PORTABLE MONITOR ON STAND

LT-PM325105

Adjustable Stand
Touch Panel
Memory: 8+128
OS: Android 13 Google EDLA
BT/ WIFI
Streaming Netflix/ Disney/ Prime Video
Battery: 10 000 MAH
Camera: 8MP
Speaker: 2 x 10W
Remote Control
FHD 1920x1080
Brightness; 300 nits



15.6" TOUCH LED MONITOR

LT-PN1625

SIZE 15,6
PANEL TYPE - LED
RESOLUTION 1920X1080 FHD
COLOUR GAMBIT SRGB
120% DCI-P3 95%
INTERFACE 2X TYPE C
1X/MINI HDMI/
EARPHONE X1 /
USB - HUB
CAPACITIVE
MULTI TOUCH SCREEN
ROTATE UP90/180
DOWN 90
FREE SYNCH
MPRT (GTG 1M/S)
AMBIENT LIGHT
LEATHER CASE





The Perfect Experience / — **PRODUCT CATALOGUE**

PROFESSIONAL HOME ENTERTAINMENT CENTRES

2.0 HOME ENTERTAINMENT CENTRE+DJ MX-N1215B

OUTPUT POWER 350W SPEAKER 12" WOOFER
+TWEETER CONNECTIVITY BT /USB/TF/FM/AUX/
OPTICAL LED DISPLAY LASER CEILING LIGHT
DIMENSION SPEAKERS 430X425 X800
AMPLIFIER 275X170X410



7000W



HOME ENTERTAINMENT SYSTEM **5200W** MX-N124B

OUTPUT POWER
260W
SPEAKER
(8" SUBWOOFER
+4" MID RANGE X2
+1.5" TWEETER)X2
AC POWERED
CONNECTIVITY
BT/USB/
TF/AUX /OPTICAL
DUAL KARAOKE
INPUT
LED DISPLAY
DIMENSION AMP
315X305X165
SPEAKER
(145X340X1185)X2



2.1BT HOME ENTERTAINMENT SYSTEM MX-N134B

3600W



2.1 SYSTEM
OUTPUT POWER 230W
FUNCTIONS: BT/AUX/OPTICAL/USB/KARAOKE
INPUT/ LED DISPLAY/ EQ/FM/DIGITAL AMP
DIMENSIONS: AMP: 445x210x165mm
SPEAKER: (250x210x430mm)x2 SUBWOOFER: 339X250x434mm
CARTON: 565x515x510mm GW: 19KG NW: 16.7KG



HOME ENTERTAINMENT SYSTEM MX-N222B

Speaker size 2x10" +2" Tweeter
Size centre unit 400x280x180mm,
Speaker 34x295x550mm Connectivity: BT/USB/
TF/AUX /FM/ TWS +Powerbank function
Multi coloured music sensitive lights



8" HOME ENTERTAINMENT CENTRE MX-N125B

2000W



OUTPUT POWER 2X50W
SPEAKERS 2X8" + TWEETER
CONNECTIVITY BT/USB/TF/FM/AUX
DIMENSION – CENTRE UNIT 40X28X18
SPEAKER 34X30X55



HOME ENTERTAINMENT SYSTEM MX-N122B

**3600W
PMPO**

FUNCTIONS: BLUETOOTH /AUX/OPTICAL/full functions remote/ USB/
SD/Dual karaoke input/LED display/DSP/Change by Folder
Digital AMP, Light: Amplifier panel and button Light/ Speaker Light
SPEAKER Unit : (8" + Tweeter*2) *2 BIG POWER:180W
Product size: Amplifier 46*30*13 cm Speaker(25.5*21*41.5 CM) *2





The Perfect Experience / — **PRODUCT CATALOGUE**

MICRO/MINI HIFI SET

HOME ENTERTAINMENT CENTRE **MX-N628B**

**3000W
PMPO**

DVD/CD/MP3
Disc play USB input/ USB play record delete
FM function - 2 way Karaoke inputs
Professional digital echo
Audio and video output
Output power: 2x75W RMS
Full function
remote
control
Bass: 2x8"



HIGH POWERED DVD 2.1 SYSTEM **MX-N530B**

**6000W
PMPO**

Output Power RMS :2*66W+100W BT (4.1; 5.1): 5.0
Channel:2.1ch
Accessories: Remote Control, User Manual,
FM Antenna, AV Cable Unit Dimension: 32x13.3x29 cm
Carton Dimension: 52.8x39.6x73.8 cm



CD/MICRO/iPOD/ iPad SYSTEM **UX-VJ5VBM (violet)**

Double dock - 60W - 1 CD/USB host - PC in (USB) audio
Composite outx1 - (for iPod/iPhone/iPad)
Video playback on TV -Subwoofer out
Headphone out - FM/AM - clock timer



CD/MICRO/iPOD/ iPad SYSTEM **UX-VJ3-WUSM**

Direct Dock for iPad - Hidden iPod/ iPhone dock
Downlit LED illumination base - AUX Audio
Mini USB (PC Input) Subwoofer input - Video out
30W Total Power (15W+15W) Surround Sound
AM/FM/ Rotating iPod Terminal - Sleep timer
Remote Control



PORTABLE AUDIO SYSTEM IPOD/IPHONE DOCKING **NX-PN10**

Dual Play" System that can play and charge two iPods or iPhone
3G, featuring Motion Sensor, Sound Turbo and FM Tuner
10W Total Power ·Source: Tuner, Audio Input Back-Illuminated
LCD (White) ·"Dual Play" — Two iPods (or iPhone)
can be charged simultaneously or separately
·Works with iPhone 3G





The Perfect Experience / — PRODUCT CATALOGUE

DUAL ACTIVE SPEAKERS

DUAL ACTIVE SPEAKERS XS-N8214PB/A/B

DUAL POWERED
SPEAKER
OUTPUT POWER 100W
SPEAKERS
(2X12" + 1X3")X2
CONNECTIVITY
BT/USB/FM//TF/
OPTICAL
KARAOKE
DIMENSION
400X395X1310

4x12" 2000W PMPO



DUAL ACTIVE SPEAKERS XS-N8213PB

AC Power with
large round transformer
Woofer: 12"
Flash RGB ring light
Power output: 150Wx2
Funtions: USB/ TF/
FM/ BT/ MIC
Karaoke/ AUX/
TWS/ Super Bass/
Wireless MIC
Product Size:
410x410x1050mm

4x12" 6000W PMPO



ACTIVE SPEAKERS XS-N728PBA/B

Peak power: 2x120W rms power
Noise: 93dB
Impedance: 40hm
Frequency Response:
40Hz~20Khz
Speaker: Dual 12" Woofer
+ magnet tweeter
Fm stereo/ Bluetooth/
Remote control/ USB/SD card
input/X-Bass volume control/
6 Band graphic equalizer
Woofer with LED disco light

4x12" 4800W PMPO



2.0 CH SPEAKER SYSTEM XS-N629PB

Driver unit: 2x12"
Woofers
2x3" Tweeter
Power out:
100W x 2 RMS
Impedance: 40hm
Response Frequency:
60Hz~20KHz
Bluetooth
LED Display
FM Stereo
USB/SD card
MIC Input
Remote Control

4x10" 4000W PMPO



DUAL SPEAKERS XS-N6233PB

Output power:
80W RMS
Driver size:
8" x2 Woofer
USB/TF/ TWS/
FM/ AUX/
MIC Input/
LED Light
Product Size:
310x320x800mm

4x8"
1600W
PMPO





The Perfect Experience / — PRODUCT CATALOGUE

PARTY SPEAKERS

ACRYLIC PARTY SPEAKER XS-N8115PB

OUTPUT POWER 150WW
2X12" + 1.5" TWEETER
RECHARGEABLE
BATTERY 12V/14AH LEAD ACID
CONNECTIVITY
BT/USB/TF/AUX/FM/ TWS
KARAOKE
LED DISPLAY/ DJ FUNCTION
RGB LIGHTING
DIMENSION 39X38X114.5



**3000W
PMPO**

PORTABLE SPEAKER SYSTEM XS-N819PBA

OUTPUT POWER 120W
SPEAKER 2X15" + 5"
CONNECTIVITY
USB/TF/FM
MIC/ GUITAR INPUT
DIMENSION 420X350X1260



**2400W
PMPO**

DJ PARTY SPEAKER XS-N7212PB

260W Output Power RMS
12" Woofer x 2 and 3" Tweeter x 2
Standby function
8 DJ Background Effect
Bass booster control
3 Professional DJ Effect control
(White flash/Bass Breath
light effect/Disco Light)
Mic input x 2 Mic Control
Guitar input x 1 and control
Music control with repeat and mute
4 Music Effect
MDF CABINET
BT Wireless Streaming
USB Input/Music recording to USB
USB charging/ AUX Input
FM Radio Function
Red Led Display
AC Power support



**5200W
PMPO
2x12"**

PARTY SPEAKER XS-N8223PB SINGLE

Speaker: 10"x2
Connectivity: USB/ BT/ TF
FM/ Light/ AUX
2 MIC Input/ TWS
Battery: 12V/ 7ah
Size:350x320x1000mm



**4x10" 2400W
PMPO**

PARTY SPEAKER XS-N6112PB

Output Power: 120W
Speaker: 12"
+ 5" Median Tweeter
Functions: BT/ TF
AUX/ USB/ FM/
LED Display/
Ring Light/ 2 MIC Input
Battery: 12V/ 7A
Size:380x320x985mm



**2400W
PMPO**

PARTY SPEAKER XS-N6225PB

OUTPUT POWER 100W
SPEAKER 2 X10"
+ 1" TWEETER
RECHARGEABLE
BATTERY 12V /7000MAH
CONNECTIVITY
BT/USB/TF/FM/AUX
KARAOKE /TWS
GUITAR INPUT
DIMENSION
GIFT BOX
430X398X958



**2000W
PMPO**



The Perfect Experience / — PRODUCT CATALOGUE

PARTY SPEAKERS

PARTY SPEAKER XS-N6123PB

OUTPUT 2X50W 100W
SPEAKER 3X10"
+2" TWEETER
BATTERY 12V/4500MAH
CONNECTIVITY
BT/USB/TF/FM /AUX
TWS
KARAOKE
DIMENSION
350X330X1265



**2000W
PMPO**

PARTY SPEAKER XS-N5244PB


OUTPUT POWER 40W
SPEAKER 4 X 8"
+ TWEETER
RECHARGEABLE
BATTERY 7.4V 4500MAH
ADAPTER: 9V1.5A
CONNECTIVITY
BT /USB/TF/AUX/FM
KARAOKE , TWS
DIMENSION 356X310X610



**800W
PMPO
2X8"**

PARTY SPEAKER XS-N5223PB

Output power:40W
Speaker:8"*2
TWS/USB/
TF Card/ Karaoke/
LED Light Show
Battery: 4000mah
Size: 276x315x794mm



2x8"

PARTY SPEAKER XS-N4215PB

OUTPUT 40W
SPEAKER 10" X2 +1" X1
BATTERY 7.4V 3600MAH
CONNECTIVITY BT/
USB/TF/FM/AUX/
TWS
DIMENSION
295X316X800



PARTY SPEAKER XS-N4213PB

OUTPUT 60W
SPEAKER 2X6.5"
BATTERY 7.4V/3600MAH
CONNECTIVITY
BT/USB/TF/FM /AUX/
TWS
KARAOKE
DIMENSION
240X280X621



**1200W
PMPO
2x6.5"**

PARTY SPEAKER XS-N3214PB

OUTPUT POWER 40W
SPEAKER 2X8"
+1" TWEETER
CONNECTIVITY
BT/USB/ TF/AUX IN
TWS
KARAOKE
DIMENSION
286X287X753



**800W
PMPO**



The Perfect Experience / — **PRODUCT CATALOGUE**

PARTY SPEAKERS

MECHA/ ACRYLIC SERIES

XS-N4112PB BF

OUTPUT POWER 50W
SPEAKER 2X5" +1.5"
BATTERY 7.4V 4000MAH
CONNECTIVITY
BT USB /TF
/FM/LIGHT
DIMENSION
221X192X427



**1000W
PMPO**

PARTY SPEAKER

XS-N2124PB

OUTPUT POWER 60W
SPEAKER 2X6"
BATTERY 3000MAH
CONNECTIVITY BT/
USB/TF/FM/AUX
KARAOKE
TWS
DIMENSION
235X210X540



**1200W
PMPO
2x6"**

PARTY SPEAKER 2x4"

XS-N2225PB

OUTPUT POWER
2X15W (30W)
BATTERY 3600MAH
CONNECTIVITY
BT USB/TF/FM /
AUX/LINE IN
TWS
KARAOKE
DIMENSION
19X22X40.2



**600W
PMPO**



The Perfect Experience / — PRODUCT CATALOGUE

MIDI PARTY SPEAKERS

PARTY SPEAKER

XS-N5144PB

OUTPUT POWER 40W
SPEAKER 2 X 8"
WOOFER
+ TWEETER
BATTERY 7,4V
4500MAH
ADAPTER: 9V1.5A
CONNECTIVITY
BT/USB/TF/AUX IN
TWS /KARAOKE
DIMENSION
356X310X357



**800W
PMPO
8"**

PARTY SPEAKER

XS-N3123PB

Output Power: 40W RMS
Speaker Size: 8"
Functions: BT /USB/ TF/
AUX/ RGB Lighting/
Rolling light
Shoulder Strap
Battery: 3600mAh
Size: 270*250*330mm



PARTY SPEAKER

XS-N3133PB


Output Power: 30W RMS
Speaker Size: 6.5"+1.5"
Functions: BT /USB/ TF/
AUX/ Rolling &
Fire Flame Light
Battery: 2x1800mAh
Size: 240*250*295mm



PARTY SPEAKER

XS-N1123PB

Output Power: 15W RMS
Speaker Size: 4"
Functions: BT /USB/ TF/
AUX/ FM/ Rolling LED
Battery: 3.7V3000mAh
Size: 180*160*250mm



BLUETOOTH SPEAKER

XS-N1144B

OUTPUT POWER 10W
SPEAKER 3"
BATTERY 1800MAH
CONNECTIVITY
BT /USB/TF/FM/AUX
TYPE C CHARGING
DIMENSION
132X128X132



BLUETOOTH SPEAKER

XS-N1154B

4" SPEAKER
SUPPORT: BLUETOOTH-
USB / AUX / FM / TWS /
RGB FLAME LAMP /
STROBE LIGHT
BATTERY: 120mAh
LI-BATTERY INSIDE
OUTPUT POWER:
3.7V/5W
TYPE-C CHARGING
CABLE
DIMENSIONS:
183X189X255MM





The Perfect Experience / — PRODUCT CATALOGUE

BOOMBOX

BLUETOOTH PORTABLE CD PLAYER RV-NB22BT



Compatible: CD/CD-R/CD-RW/HDCD/MP3/WMA
Support USB/ FM radio
Bluetooth and SD Card LCD display , remote control
Power requirement : AC 100-240V (wide range)
Output Power : 10w*2+20w (RMS)
Dimension : 490mm*190mm*230mm - Takes batteries



BLUETOOTH PORTABLE CD PLAYER RD-N327



2x4W power output CD,MP3 ,USB player - Support USB with memory playback,FM antenna - Support FM :87.5-108Mhz automatical scan memory frequency
Support MP3,WMA
double decode
colorful panel for option
110-240V wide voltage
With sound high & low equalizer
with LCD display
Unit Size:
285x230x125mm



BOOMBOX XS-N169

**800W
PMPO**

OUTPUT 2X20W 40W
SPEAKER 2X66MM
BATTERY 1500MAH
CONNECTIVITY BT/USB/FM/TF/AUX/TWS
DEEP BASS/ RGB LIGHT
DIMENSION
360X130X200



BOOMBOX XS-N2235B

OUTPUT POWER 2X10W SPEAKER 2X3"
BATTERY 3.7V 2400MAH
CONNECTIVITY BT/USB/FM/TF/RGB
DIMENSION 340X145X190



PORTABLE BLUETOOTH RADIO RV-N120B (PREVIOUSLY: RV-N104)




320*123*167mm - Speaker 3"*2 - Bluetooth:V4.2 - Power (Watt) 10W
Play USB & TF card - 1 microphone jack - AUX-IN (3.5mm)
Radio Tuner: FM - battery capacity 3.7V 3000mah
Compatible with bluetooth / smartphone/ tablets/PC/ notebooks

**200W
PMPO**



HIP HOP BLUETOOTH SPEAKER XS-N2234B

OUTPUT POWER 2X10W MV SILICON DSP
SPEAKER 2.6" X2
BATTERY 3600MAH
CONNECTIVITY
BT /USB/TF/FM/AUX
TYPE C CHARGING
WATERPROOF IPX6
DIMENSION 295x120x118





The Perfect Experience / — **PRODUCT CATALOGUE**

BOOMBOX

BOOMBOX

XS-N1215B

OUTPUT POWER 2X8W
SPEAKER 2X6"
BATTERY 3600MAH
CONNECTIVITY BT/USB/FM/
DEEP BASS/ RGB LIGHT
DIMENSION
250X120X130



BLUETOOTH SPEAKER

XS-N2253B BF

OUTPUT POWER 15W
BATTERY 2400MAH
CONNECTIVITY BT/USB/TF/FM/RGB LIGHT
USBC CHARGING
DIMENSION 280X110X140





The Perfect Experience / — **PRODUCT CATALOGUE**

DUAL WOOFER

TROLLEY SPEAKER WITH TWS AND WIRELESS MIC **XS-N4210PB**

2X8"
600W
12V/7A
DUAL WOOFER
CONNECTIVITY
BT/USB/TF/FM TWS
KARAOKE
DIMENSIONS
343X325X650



10" BLUETOOTH TROLLEY SPEAKER **XS-N518PB**

Power: 80W 2 x 10"
FM Radio/ Remote control
Wireless MIC
7A Rechargeable battery
Connectivity: USB/SD/Bluetooth

**2x10" 1600W
PMPO**



2x6.5" BLUETOOTH TROLLEY SPEAKER **XS-N5212PB**

Bluetooth/ USB/ FM/ TF/ AUX IN
MIC input + GT - MIC priority function
Four pattern of light style
Recording function
Speaker 6.5"x2+1.5"x1
Bluetooth V5.03.Power (Watt): 40W
Play time:1 hrs @max
volume; 3 hrs @ 50% volume
Charge time: 4 hours
Built-in rechargeable
battery 7.4V 5000Mah
DC 9V 1.5A charging
Unit size:
27*31*71cm"

**800W
PMPO
2x6.5"**



2X8" TROLLEY SPEAKE **XS-N5223PB BF**

OUTPUT POWER 80W
SPEAKER 2X8" +
RECHARGEABLE
BATTERY 7.4V 3600MAH
CONNECTIVITY
BT/USB/TF/FM
TWS
1 WIRELESS
MICROPHONE
DIMENSION
290X305X655

**1600W
PMPO**



2X6.5" TROLLEY SPEAKER **XS-N600**

OUTPUT POWER 60W
SPEAKER 2X6.5" +
RECHARGEABLE
BATTERY 7.4V 3600MAH
CONNECTIVITY
BT/USB/TF/FM
TWS
1 WIRELESS
MICROPHONE
DIMENSION
260X270X554



2X6.5" TROLLEY SPEAKER **XS-N550**

SPEAKER SIZE:6.5INCH*2
BATTERY CAPACITY:7.4V
3600MAH
OUTPUT POWER: 60W
CONNECTIVITY
BT/USB/FM/TF/AUX
WIRED MICROPHONE
PRODUCT SIZE:
260X270X554





The Perfect Experience / — **PRODUCT CATALOGUE**

SINGLE WOOFER TROLLEY SPEAKERS

TROLLEY SPEAKER WITH LIGHT SHOW

XS-N5110PB

15" 50W
TWS
12V/9A
Remote control
Wireless MIC
Rechargeable Battery
Connectivity:
BT/ FM/ USB/ SD
Light Show



**1000W
PMPO
15"**

TROLLEY SPEAKER WITH LIGHT SHOW

XS-N4110PB

12" 30W
TWS
12V/4.5A Lead Acid
Remote control
Wireless MIC
Rechargeable Battery
Connectivity:
BT/ FM/ USB/ SD
Light Show



**600W
PMPO
12"**

TROLLEY SPEAKER

XS-N319PB

10" - 400W
APK Control
with your mobile
Bluetooth/
FM/ USB/SD
LED Display/
LED Lighting
1 x Wireless MIC



**400W
PMPO
10"**




The Perfect Experience / — PRODUCT CATALOGUE

BT SPEAKERS

WIFI SPEAKER WITH BLUETOOTH

XS-N318B (PREVIOUSLY XW-F500)

WiFi and Bluetooth
360° Omnidirectional
audio - Dual
stereo speaker
powered by Dolby
Up to 9 hrs
play time
20W RMS
Built-in 7.4V 6600mAh
Lithium battery
Supports MUZO APK



BLUETOOTH SPEAKER WITH DRUM&LIGHTS

XS-N2249B

*Input voltage: 5v 1A *BT Solution: 4.2 *Frequency range :100Hz-20kHz
*Output power: 2*10w (20W RMS) *Bluetooth distance: 20 meters
*Play time 6H *Driver: 2 pcs 45mm full range driver *10W
*Product size:75*75*230MM - Drum, light and sound shows
*IPX7 waterproof
*TWS



BLUETOOTH SPEAKER

XS-XN33W

•RMS : 10W *2 - 60Hz~20kHz •Driver Unit : 3.5"*2 full range Ferrite driver
•Built in FM radio•USB 5V/1A •Compatibility: works with most Bluetooth-enabled
smartphones, tablets, music devices, Bluetooth 2.1 or above
•Internal rechargeable Li-ion battery, single fully charge with 4-hour
operating lifetime
•Voice prompt for
convenient
feedback during
Bluetooth Mode
Bluetooth range:
Line of sight,
10M
or 30FT
•Size:320X
150X132mm



TWS SPEAKERS

XS-N2219B

5Wx2 TWS BT Speaker; - TWS function
Aluminium ABS case LED Lighting SD slot USB cable
Built in 1000mAh battery per speaker



STEREO LED LIGHT SHOW BLUETOOTH SPEAKER

XS-XN18AR(red)/ AB(blue)

Built-in LED Light show. Supports APP function.
For Android and IOS Mobile 4.0 bluetooth
stereo speaker system with hands-free function
2200mA lithium rechargeable battery (6-10
hours playback time) Built-in passive radiator
Super clear bass sound quality AUX output
suits most audio device
Output: RMS 8W
(4Wx2)
Supports TF card up
to 32GB FM radio



BLUETOOTH SPEAKER

XS-N118B

BT/USB/AUX/
FM+power bank.
Built-in battery
3000mAh
Product size:
105*105*190MM





The Perfect Experience / — **PRODUCT CATALOGUE**

BT SPEAKERS

BLUETOOTH SPEAKERS

XS-N2239T (PREVIOUSLY XS-XN2100)

2x3W - Built-in 1000mAh lithium battery

Micro USB charging port

Play time up to 8 hours

Dimensions: 178x675x64 (pair)

Weight 0.41kg (pair)

IPX5

Connection:

BT/AUX



ULTRA THIN STEREO BLUETOOTH SPEAKER



XS-XN31AR(red)/ AW(white)

Ultra thin design. Different colours to choose from. Mobile Bluetooth speaker with hands-free function. Built-in 1000mAh lithium rechargeable battery. 5-8 hours playback time. Holder at back of unit for standing

High quality rubber oil coated housing. AUX output suits most audio devices. Built-in bass port Output: RMS 8W (4Wx2)

Supports TF card up to 32GB FM radio



VERTICAL SPEAKER

XS-N2213B BF

WATERPROOF IPX5

OUTPUT POWER 2X5W

DRIVER 63MMX2

BATTERY 3.7V 1200MAH

CONNECTIVITY

BT/TF/AUX/TWS/

DIMENSION

86X86X192





The Perfect Experience / — PRODUCT CATALOGUE

DVD HOME THEATRE SYSTEMS/ MULTIMEDIA

TH-N862B

Output Power RMS: 5x 15W + 80W

BT (4.1; 5.1): 5.0 Channel: 5.1ch

Voltage: 110 - 220V 50/60Hz

Accessories : Remote Control, User Manual, FM Antenna, AV Cable

Carton Dimension: 75.2x33.1x40.5 cm



DVD HOME THEATRE AND SPEAKER SYSTEM

**7800W
PMPO**

JHP-N3900DVD

SP-XG520A

FRONT SPEAKER
X2 (2X100W)

SP-XG520B

CENTRE AND
SURROUND
(3X30W)

SP-XG520C

TWO PASSIVE
SUBWOOFER
(2X50W)

TH-N779BDVD

HDMI RECEIVER
3X90 + 3X40W



AMP WITH DVD PLAYER

TH-N779BDVD

Receiver amp with built-in DVD player

Output Power: 3x90W+3x40W Total 390W

DVD compatible with DVD/VCD/CD/JPEG/DVD-+R/

DVD-+RW/CD-R/CD-RW/MP3/MPEG4

FM Radio/ USB Reader/ Karaoke/ Bluetooth

Full function remote control

Connections; HDMI in/out (1080P) AV Out/S-Video/Coaxial/Optical

5.2 Channel speaker out + 2 Subwoofer Signal Line Out/ FM Antenna



10.1" MEDIA PLAYER

XV-PY1000A

10.1" Swivel Screen

Compatible with CD, DVD,

DVD+R(-R), DVD+RW (-RW)

VCD format, USB, SD

(support VOB, AVI, MPEG,

MP3, WMA, JPEG)

Full function remote control

SAA Certificate adaptor

Resume function

Subtitle off

Built-in Speakers

3.5mm headphone jack

Built-in FM Radio

Game function



DVD PLAYER

XV-Y360A

Compatible with DVD/VCD/CD/MP3/WMA/JPEG/MPEG4 (DIVX)

HDMI Output (up to 1080P Full HD)

Plays compatible files from USB Copy content from disc to USB

Built-in Dolby Digital MPEG 1 and MPEG 2 decoders

Full function remote control

Multi language OSD and subtitles

Multi TV Systems: NTSC/PAL/AUTO

Adjustable screen ratio: 16:9/ 4:3 Auto screen protection

Parental lock Audio outputs: Coaxial, optical digital, 5.1 Channel

via RCA cables, Composite audio - Remote control





The Perfect Experience / — **PRODUCT CATALOGUE**

SOUND BARS

SOUND BAR TH-N433S

SOUNDBAR WITH
WIRELESS SUBWOOFER
OUTPUT POWER 20Wx2 +60W RMS
SPEAKER DRIVER 80X44MM
SOUND BAR 6.5"
CONNECTIVITY BT/USB/
HDMI ARC/AUX IN/COAX/ OPT
DSP/ REMOTE/ TOUCH CONTROL



WIRELESS SUBWOOFER 2000W

5.1CH SOUND BAR TH-N430BA

3600W PMPO

Output power: 180W Speaker Size:
6.5"*1 + 2.25"*5
Bluetooth /AUX IN/USB Playback/FM
LED Display/Remote Control
HDMI(ARC), Optical, DSP solution
Product Dimension:
Soundbar: 97* 9* 6.5
Surround: 16*6.5*9
Subwoofer: 16*28*33



SOUND BAR DOLBY ATMOS TH-N134B



2400W PMPO

DOLBY ATMOS 2.1 OUTPUT POWER 120W
SPEAKER 2,25" X2, SUBWOOFER WIRED 5.25"
CONNECTIVITY BT//USB/OPTICAL/AUX/
HDMI 2 IN 1 OUT
LED DISPLAY
DSP
DIMENSION
SOUNDBAR
89X67X400
SUB WOOFER
150X200X360



2.1 CH SOUND BAR TH-N434B

2800W PMPO

2,1 SOUNDBAR WITH WIRELESS SUBWOOFER
OUTPUT POWER 140 W
SUBWOOFER 6,5" X1 80W SPEAKER
+2,25" X4 IE 4x15W
CONNECTIVITY BT/USB/HDMI ARC/
AUX IN/TF/TWS
SOUNDBAR WITH LIGHTING
DSP SOLUTION
DIMENSION SOUNDBAR
118X73X900 MM
SUBWOOFER
240X240X370MM



BLUETOOTH SOUND BAR TH-N239B (PREVIOUSLY TH-N015)



WIRELESS SUBWOOFER

2000W PMPO

2.1ch stereo, AUX, Optical,
HDMI(ARC) Coaxial,Bluetooth,
USB, LED display, EQ,remote
control,wireless subwoofer;
Rated output RMS: 100W
Speaker unit:1.5'/10w HiFi
speakers*4+ Tweeter5W*2 +
6.5'/50W wireless subwoofer*1



Bluetooth: Version 4.1+EDR,
10m Size: Bar:880*65*65mm
Subwoofer: 200*300*300mm.

BLUETOOTH SOUND BAR TH-BY370/A



1000W PMPO

Plastic case, 2.1CH (with subwoofer)
• Support 2.4GHz Bluetooth 2.0 Connect
• USB INPUT Player & USB2.0 • AUX Input • FM Radio
• 3D Function • Optical input • Coaxial input
• Sound Bar With Subwoofer total output power: 50W(2*10W+30W)
• Wide power supply, 110—240V AC Input range
• Full remote control





The Perfect Experience / — **PRODUCT CATALOGUE**

SOUND BARS

5.1 SOUND BAR SYSTEM WITH WIRED SUBWOOFER AND SATELLITES

TH-N335B

OUTPUT POWER 100W
SOUNDBAR 3X 2.25"
SUBWOOFER 5.25"
SATELLITES 2X2.25"
CONNECTIVITY
BT/USB/TF/FM/
HDMI ARC
DIMENSION
SOUNDBAR 800X90X70
SATELLITES 135X90X70
SUBWOOFER 150X290X260



2.1 SOUND BAR WITH WIRED SUBWOOFER

TH-N325B

OUTPUT 2X20W + 40W 80W
SPEAKER 2X2" +
SUBWOOFER 6.5
CONNECTIVITY BT/USB/
TF/FM/HDMI ARC/
OPTICAL/COAXIAL
REMOTE CONTROL
DIMENSION
BAR 820X60X60
SUB 130X430X250



SOUND BAR

TH-N322B

Bluetooth Function
FM Radio
LED Display
USB Input
AUX Input
Optical Input
HDMI(ARC) Input
Full Remote Control
600 Watt P.M.P.O
Power Supply: DC 14V, 2A
Output Power: 30W
Unit Size: 810x89x65mm



**800W
PMPO**



SOUND BAR

TH-N324B

OUTPUT POWER 20WATT
SPEAKER 2X2"
RECHARGEABLE BATTERY 1800MAH/ 3.7V
CONNECTIVITY BT/USB/AUX
REMOTE CONTROL
DIMENSION 820X72X70

**400W
PMPO
820MM**



2.0 PORTABLE SOUND BAR

TH-N120B BF

OUTPUT 2X8W 16W
SPEAKER 2X52MM FULL FREQUENCY DRIVER
BATTER 1800MAH
CONNECTIVITY BT/USB/TF/FM/HDMI
DIMENSION 900X69X75



2.0 PORTABLE SOUND BAR

TH-N123B

OUTPUT 2X8W 16W
SPEAKER 2X52MM FULL FREQUENCY DRIVER
BATTER 1200MAH
CONNECTIVITY BT/USB/TF/FM/AUX IN/ ALARM CLOCK/DISPLAY
DIMENSION 450X63X63





TABLETS

**10.1" 4G
SMART TABLET
AV-10NT310
Gold/ Black**

10.1" 4G LTE
CPU MTK 8167
QUADCORE
MEMORY 2 +32GB
CAMERA 2 +5MP
DISPLAY LED
800X1280 HD
BATTERY 6000MAH
OS ANDROID 11.0
SINGLE SIM CARD
BT /FM/ GPS
MICRO SD



4G



Netflix



Prime Video



YouTube



GMS



Facebook

**11.6" PRO TABLET WITH
DOCKING KEYBOARD
AV-11NT510**

11.6" 4G LTE WITH
DOCKING KEYBOARD /COVER
CPU 9863 OCTACORE 1.6GHZ
CORTEX A55
MEMORY 2+64GB
DISPLAY LED 1920X1080 FHD
CAMERA 8+13 MEGAPIXELS
BATTERY 6000 MAH
OS ANDROID 10.0
DOCKING KEYBOARD
USB-C FOR CHARGING
HEADPHONE JACK
DUAL SIM



4G



Netflix



Prime Video



YouTube



GMS



Facebook



DISTRIBUTED BY

NU-WORLD INDUSTRIES (PTY) LTD

35 - 3rd Street, Wynberg, Sandton 2199
P.O.Box 8964, Johannesburg 2000 RSA

Telephone: (011) 321 2111
FaxLine: (011) 887-7350
Telex: 4-24575 NWCM SA