

WHITE GOODS

CATALOGUE

ALL PRICES EXCLUDING VAT

UPDATED: 8 DECEMBER 2025



Disclaimer: While every care has been exercised in compiling and publishing the data contained in these pages, NWI accepts no responsibility for errors of or omissions to the information.

Whites

CATALOGUE

20 LITRE MICROWAVE OVEN GMO-20

GOLDAIR

- 20 Litre Capacity • 35 Minute Cooking Timer • 5 Power Levels
- Push Button Door • Colour: White • 230V~50Hz 700W



20 LITRE DIGITAL MICROWAVE OVEN SURMO-20

Sunbeam
ultimum

20L Digital Microwave Oven - 60 Minute Cooking Timer
5 Microwave Power Levels - Turnable Glass Tray - Cooking End
Signal and Defrost Setting - Black Housing and White Cavity
Output Power: 230V~50Hz 700W



25 LITRE MICROWAVE OVEN GMO-25

GOLDAIR

Capacity: 25 Litres - 8 Auto Menus - Digital Display - 5 Power Levels
95 Minute Cooking Timer - Defrost Setting -
Output Power: 230V~50Hz 900W



30 LITRE MICROWAVE OVEN GMO-30E

GOLDAIR

30 Litre capacity • Digital control • Silver cover
White cavity • 900W Power • Mirror finish door and control panel
Defrost by weight and time



36 LITRE MICROWAVE OVEN WITH GRILL GMO-36G

GOLDAIR

36 Litre Capacity Grill Function 9 Auto Menus
Child Safety Lock 11 Power Levels 99 Minute Cooking Timer
Defrost by Weight and Time 230V~50Hz 1000W



90CM BUILT IN DOUBLE ELECTRIC OVEN GBDO-1010

GOLDAIR

Size 890x595x575mm
Oven functions: static/fan/
turbofan /multifunction
Top + bottom element
1200W + 1100W
Grill 1400W
double grill 2600W
Pop in Pop out knob
Digital touch Timer
Black Glass control panel
Flat Black knobs
Handle Type: Slim bar Inox
Dimensions: W595xD875mm



UNDER COUNTER /EYE LEVEL OVEN+TIMER GEO-500S

GOLDAIR

- Stainless steel control panel with black glass oven door
- top and bottom heating element
- capillary thermostat
- limit thermostat
- cooling fan
- 1 tray
- 1 grid
- easy to clean
- enamel cavity
- stainless steel panel at bottom of door
- S/S trio handle

Dimensions: W595
xH590mm



UNDER COUNTER /EYE LEVEL OVEN+TIMER GEO-400B

GOLDAIR

- Black control panel with black glass oven door
- top and bottom heating element
- capillary thermostat
- limit thermostat
- cooling fan
- 1 tray
- 1 grid
- easy to clean
- enamel cavity
- stainless steel panel at bottom of door
- S/S trio handle
- black trio knobs

Dimensions: W595x
H590mm



DOUBLE OVEN GAS/ELECTRIC HOB+ OVEN 60X60

GOLDAIR

GGEGEO-5000

60x60 Free Standing Cooker
2 Gas Burners • Cast Iron Pan Support
Glass Top Lid • Special Double Glass
(Removable Inner Glass) • Stainless Steel
Hob / Body Matt Anthracite • Upper Cavity:
Up&Down Heating Element
Thermostat • Oven Lamp 1 Oven Tray
Main Cavity: Gas Oven • 1 Oven Tray
1 Oven Grid , Oven Lamp
Rotisserie, Timer
Gas Thermostat
Ignition



DOUBLE ELECTRIC OVEN WITH SOLID ELEMENT HOB SILVER/ INNOX FINISH GDFEO-5060

GOLDAIR

50x60mm
Hob: 2 x 145mm solid
2 x 180mm solid
Colour: Inox
Full flat control panel
Door Type:
Large Full glass door
Mechanical
Thermostat in oven
90cm Height
Dimensions: W493x
D600xH925mm



Whites

CATALOGUE

DOMINO HOB GEH-200S

- 2 Rapid burners
- Stainless steel
- Steel knobs

Dimensions: W290
xD510mm



GOLDAIR

ELECTRIC HOB GEH-400B

- 600mm Electric hob
- Black enamel hob
- 4 solid hotplates (2x145mm) + (2x180mm)
- 1 Rapid hotplate
- Side knob controls

Dimensions: W580x
D510mm




GOLDAIR

ELECTRIC HOB GEH-500S

- 600mm Electric hob (2x145mm) + (2x180mm)
- Stainless Steel hob
- 4 solid hotplates
- 1 Rapid hotplate
- Side knob controls

Dimensions: W580x
D510mm



GOLDAIR

915MM ELECTRIC SOLID HOB GEH-915S


Cooktop in inox #201 0.6mm
Bottom material thickness: 0.5mm with over heat protection
with power cord (without plug) 3 level switch metal knob (inox)
2xheating plate 1.5kw 2xheating plate 2.0kw
Power Range: ac 220V 60Hz Product size: 915x525mm
Dimensions: W915xD530mm



BUILT-IN HOB GCH-600E RAPID

Built-in ceramic hob 4 zone high quality black vitroceramic glass,
sensitive touch control child lock, Timer Function, Residual heat indicator
No pan limited automatic safety switch off

high heat protection
long-working
protection
boiling protection
Total power: 6200W
left front zone: 200mm
1800W left rear zone:
259-154mm/2000W,
oval zone left front
zone: 200mm, 1800W
right centre zone:
165mm/1200W power
stage setting: 9 digital
timer setting: 99 min
Product/cut-in size:
590*520*44mm/
560*490mm



GOLDAIR

2 BURNER GAS HOB

GSGH-200

Gas Type: LPG only
Designed Gas
Consumption: 305g/hr
Heat Output: 4200W
2 Burners: 1x1000W, 1x3200W
Cast Iron Pot Stands
Stainless Steel Top
Fitted with Flame Failure Devices
Battery Ignition
1.5V 0.04Ah
GW: 7.8kg NW: 6.5kg
Dimensions: W313xD510mm



GOLDAIR

2 GAS 2 ELECTRIC HOB

GGEH-200

Gas Type: LPG only Gas Consumption: 603.77g/hr
Heat output: 7700W 2 Gas Burners : 1x1000W/ 1x3200W
2 x Electric Burners: 1x1500W/ 1x1500W
Cast Iron Pot Stands - Side Controls/ Stainless Steel Top
Fitted with flame failure device - AC Ignition
Dimensions: W590xD510mm



GOLDAIR

4 BURNER STAINLESS STEEL HOB

GSGH-400A

4 Burner Stainless Steel Gas Hob
Cast Iron Pan Stand - Side Control
Burners: x4 (1x1.00KW auxiliary burner,
2x1.75KW
semi-rapid
burners
1x3.40KW
rapid burner
Auto Ignition
Dimensions: W590x
D510mm



GOLDAIR

5 BURNER GAS HOB

GSGH-500

Gas type: LPG
Designed Gas Consumption: 762.78g/h Dimensions: W910xD525mm
Heat Power (W): 3200/2500/1750/1750/1000
5 Burner
1x3200W
1x2500W
2x1750W
1x1000W
Pan Support: Cast iron
#304 Stainless Steel top
Fitted with flame failure devices
Battery ignition
Battery: 1.5V 0.04AH



GOLDAIR

4 GAS 2 ELECTRIC HOB

GGEH-915

Gas Type: LPG only Gas Consumption: 603.77g/hr
Heat output: 7700W
4 Burners: 1 x 1000W/
2 x 1750W/ 1 x 3200W
Cast Iron Pot Stands
Side Controls/ Stainless Steel Top
Fitted with flame failure device
Dimensions: W915xD530mm
AC ignition
2xElectric burners
1x2000W/ 1x1500W
Fitted with flame failure device



GOLDAIR

4 BURNER GAS HOB

GBGH-4002

7mm Tempered glass, Power: (kW) 1.0/ 1.75/ 1.75/ 3.3,
China sabaf burner, Iron burner cap, Cast Iron pan support
Black enamel water tray, Metal knobs, Battery ignition, Safety device,
Dimensions: W600xD515mm



GOLDAIR

5 BURNER GAS STOVE

GBGH-5001

GOLDAIR

Gas Type: LPG only Designed Gas Consumption: 762.78g/hr
Heat Output: 10200W 5 Burners: 1x1000W, 2x1750W, 1x2500W,
1x3200W - Cast Iron Pot Stands - Side controls - Tempered Glass Top
Flame Failure Device - Battery Ignition 1.5V 0.04Ah
Carton Dimensions: 950x560x150mm



PORTABLE GAS STOVE

GPGTS-400

GOLDAIR

Stainless steel table stove
Black Painted body
4 Top Burners
(1 large, 2 medium, 1 small)
Manual ignition
Splashback
Two Shelves
Dimensions: W487xD535
(including nozzle) xH790mm
Splashback: 150mm



Whites

CATALOGUE

GAS/ELECTRIC

6 PLATE GAS OVEN AND STOVE

GGO-750B (BLACK)

Stainless steel worktop
Splash guard
6 Gas burners
Gas oven
3 Large 3 small burners
Enamelled pot support
120 Litre cavity capacity
Dimensions: W760xD550
xH860mm
Splashback: 160mm



GOLDAIR

4 BURNER ELECTRIC OVEN

GGHE-600S

- Gas electric cooking range
- Full stainless steel
- 4 gas burner
- Multi function electric oven
- Flapping warmer drawer
- Ignition / light
- Double glass door
- Tempered glass cover
- Adjustable oven feet
- Timer
- Safety device for cooktop burner
- Cast iron grate
- Rotisserie
- Electric oven with convection fan
- Cavity capacity: 60L

Dimensions: W585xD600
xH875mm



GOLDAIR

5 BURNER ELECTRIC OVEN

GGEO-760S

Full stainless steel
5 gas burners
Multi function electric oven
with 8 functions
and convection fan
Flapping warmer drawer
Ignition/ light
Double glass door
Tempered glass cover
Adjustable front feet
Timer
Cast iron grate
Rotisserie
88 Litre cavity capacity
Dimensions: W760xD600
xH875mm



GOLDAIR

5 GAS COOKER/ELECTRIC OVEN

GGEO-900SB

- Full Stainless steel • 5 Gas burners
- Multi-function electric oven
with 8 functions and convection
- Flapping warmer compartment
- Ignition/light • Timer
- Adjustable feet • Safety device
for burner • Rotisserie
- Cast iron grate
- 111L Cavity capacity

Dimensions: W885xD600
xH875mm



GOLDAIR

COMBI HOB ELECTRIC OVEN

GGEHEO-9060

Size: 90*60
Full stainless steel
Cook top 2 electric
and 4 gas
Cast iron grates
Cooktop safety
Mechanical timer
Ignition
Lamp
Rotisserie
Handle H5#
Fan, Electric grill and oven
Temperature controller
Glass door mirror
Flapping drawer
Adjustable legs
Dimensions: W885xD600
xH875mm



GOLDAIR

RETRO 5 BURNER HOB WITH ELECTRIC OVEN

SGREO-900

Full Stainless Steel
Cast Iron Grid
5 Gas Burners
Electric oven
with 9 Functions
Utility Drawer
Auto Ignition
Oven Light
Double Glass Door
Timer
5 x FFD for Safety
Rotisserie
Convection fan for oven
NW: 57kg GW: 62.5kg
230V~50Hz 3100W
Dimensions: W895xD595
xH845mm



ultimum
Sunbeam

Whites

CATALOGUE

COOKER HOODS

60CM COOKER HOOD IDC-605B/S

italian designer


Single motor
275 m³/ hr air flow
54dB (A) noise level
Push button control
230V ~ 50Hz
Dimensions:
W655*D550*190mm



60CM COOKER HOOD IDC-635S/B Stainless steel/black

italian designer

Single motor
550 m³/ hr air flow
62dB(A) noise level
Push button control
Input: 200W
Max. Motor Power: 120W
Lamp power: 2 x 40W
c.pty.: exhaust (max) 550m/h
Aluminium filter
600x490x185mm



60CM COOKER HOOD IDC-680S Stainless steel

italian designer

Size 60cm - Input Power: 162W - Number of Motors: 1
Max. Motor Power 160W - Air flow c.pty.: exhaust (max) 750m³/h
Noise level: 58db(A) Dimension (without Chimney Pipe)
W/D/H 600x500x290
Electronic soft touch control
Aluminium filter
Lamp Power: 2x1W LED
Dimension of pipe
connection: dia150mm



60CM COOKER HOOD IDC-660BA/S Black/ Stainless Steel

italian designer

Size 60cm - Input Power: 180W
Number of Motors: 1
Max. Motor Power 100W -Air flow
c.pty.: exhaust (max) 650m³/h
Noise level: 58db(A) Dimension
(without Chimney Pipe)
W/D/H 600x550x315
Push button
Aluminium filter
Lamp Power: 2x40W
Dimension of pipe
connection:
dia120mm



60CM COOKER HOOD IDC-640S Stainless steel

italian designer

Size 60cm - Input Power: 162W
Number of Motors: 1
Max. Motor Power 160W - A
ir flow c.pty.: exhaust (max) 750m³/h
Noise level: 58db(A)
Dimension (without Chimney Pipe)
W/D/H 600x500x290
Electronic soft touch control
Aluminium filter
Lamp Power: 2x1W LED
Dimension of pipe
connection: dia150mm



60CM COOKER HOOD IDC-670S Stainless steel

italian designer

Size 60cm - Input Power: 162W - Number of Motors: 1
Max. Motor Power 160W - Air flow c.pty.: exhaust (max) 750m³/h
Noise level: 58db(A) Dimension (without Chimney Pipe)
W/D/H 600x500x290
Electronic soft touch control
Aluminium filter
Lamp Power: 2x1W LED
Dimension of pipe
connection: dia150mm



Whites

CATALOGUE

COOKER HOODS

80CM COOKER HOOD

IDC-800S

Stainless Steel

Size 80cm - Input Power: 112W
Number of Motors: 1
Max. Motor Power 110W
Air flow c.pty.: exhaust
(max)550m3/h
Noise level: 58db(A)
Dimension (without
Chimney Pipe)
W/D/H
800x330x780-1180
Electronic switch
Aluminium filter
Lamp Power: 2x1W LED
Packing Dimensions:
860x390x500mm

italian designer



90CM COOKER HOOD

IDC-905B/S

Black/ Stainless Steel

Size 90cm
Number of Motors: 1 - Air flow c.pty.: exhaust (max) 275m3/h
Noise level: 55db(A) Dimension (without Chimney Pipe)
W/D/H 930x510x165
Push button

italian designer



90CM COOKER HOOD

IDC-900B/S

Black / Stainless steel

Size 90cm - Input Power: 200W
Number of Motors: 1
Max. Motor Power 120W - Air flow
c.pty.: exhaust (max)550m3/h
Noise level: 58db(A)
Dimension (without
Chimney Pipe)
W/D/H900x490 x180
Push button switch
Aluminium filter
Lamp Power: 2x40W
Dimension of pipe
connection: dia120mm

italian designer



90CM COOKER HOOD

IDC-910S

Stainless steel/glass

Size 90cm - Input Power: 162W - Number of Motors: 1
Max. Motor Power 160W - Air flow c.pty.: exhaust (max) 750m3/h
Noise level: 58db(A) Dimension (without Chimney Pipe)
W/D/H 900x500 x330
Electronic soft touch control
Aluminium filter
Lamp Power: 2x1W LED
Dimension of pipe
connection: dia150mm

italian designer



90CM COOKER HOOD

IDC-960S

Stainless Steel ISLAND STYLE

Size 90cm - Input Power: 280W
Number of Motors: 1
Max. Motor Power 200W -Air flow
c.pty.: exhaust (max) 750m3/h
Noise level: 58db(A) Dimension
(without Chimney Pipe)
W/D/H 900x600x310
Electronic switch
Aluminium filter
Lamp Power: 4x40W
halogen
Dimension of pipe
connection:
dia150mm
**Wall mountable or
Island style chimney**

italian designer



Whites

CATALOGUE

BAR FRIDGE

4 LITRE MINI MAKEUP FRIDGE GMR-400B/W/P

GOLDAIR

Cooling System:
Semiconductor
2 Plugs included:
12V Vehicle & household
Cooling Temp.
10-20°C below ambient
Heating temp 65-75°C
Size: 265x174x247mm
Colours; black, white, pink



6 LITRE COMPACT BEAUTY COOLER WITH LED LIGHTING

GMR-600

GOLDAIR

LED Lighting - Stores Temperature-Sensitive Skin Products
Mirrored Door with Built-In LED Light for Makeup Application
Can Store Drinks and Snacks
Capacity: 6L Removable Shelf
DC 12V Vehicle and
AC 230V Household
Cooling Temp: 13-15°C
Below Room Temperature
Power: 230V ~ 50Hz 60W
or DC 12V 42W
Product Size: 195x268x298mm



60 LITRE BAR FRIDGE GBF-60S

GOLDAIR

Separate Chiller
Compartment
Mechanical
temperature control
Reversible Door
Recessed Handle
Colour: white
Dimensions: W420xD415
xH500mm



130 LITRE BAR FRIDGE GBF-130W WHITE/S SILVER (3)

GOLDAIR

Separate Chiller
Compartment
Mechanical
temperature control
Reversible Door
Recessed Handle
220 - 240V ~ 50Hz
Unit Dimensions:
435x495x810mm
(LxDxH)
Carton Dimensions:
500x465x870mm
(LxDxH)
Colour: white/ silver



115 LITRE UPRIGHT FREEZER GUF-115WA

GOLDAIR

Gross: 115 litre
Environmentally friendly
Mechanical
temperature control
Low noise
Adjustable leg
CFC free
Energy saving
Unit Dimensions:
50x54x83.5cm
(LxDxH)
Colour: white



240 LITRE UNDER COUNTER SIDE BY SIDE REFRIGERATOR GUSS-240 SILVER

GOLDAIR

240 L Flush Back
Adjustable legs
Recessed handle
2 Litre Bottle Rack
780x585x890mm



Whites

CATALOGUE

275 LITRE SINGLE DOOR REFRIGERATOR

GSUF-275

Reversible door, Door shelves
Adjustable thermostat
Adjustable legs
CFC free - Stylish interior light
Slide out glass shelves
Crystal crisper with glass cover
Dimensions: W545xD565
xH1410mm



GOLDAIR

250 LITRE UPRIGHT FREEZER

GSF-250

Single door freezer
White Finish
Mechanical Temperature control
Adjustable legs
CFC Free
Dimensions:
W545xD565
xH1410mm



GOLDAIR

540 LITRE UPRIGHT REFRIGERATOR

GFR-540

Capacity(L)540L
Pull Handle
Colour:
Dark Silver
Adjustable
front feet
Refrigerant:
R600a
Reversible Door
Size:
705*680*1825



GOLDAIR

450 LITRE UPRIGHT FREEZER

GUF-450

Capacity(L)450L
Pull Handle
Colour:
Dark Silver
Adjustable
front feet
Refrigerant:
R600a
5 Evaporator
Layers
1 Drawer
Ice Tray
Size:
705*680*1825



GOLDAIR

300 LITRE COMBI REFRIGERATOR

GDC-300

Gross Capacity:300L
Top Fridge Bottom freezer
Mechanical Temperature Control
Double Door
Colour: Silver
Recessed Handle
Tempered glass
shelves
Rapid cooling
system
Size: 470x553x
1512mm



GOLDAIR

158L WINE COOLER

GWC-158

158L - 54 Bottles - 5~18°C - R600a
single zone, 54 Bottles, 158 Litres
Free-standing installation
Wire shelf -Recessed handle
Digital temp control
Tempered
glass door
Touch pad digital
control with
blue LED readout
Celsius &
Fahrenheit display
Dimensions:
480x470x1300



GOLDAIR

Whites

CATALOGUE

120 LITRE DOUBLE DOOR FRIDGE FREEZER

GDD-120

Capacity(L)120L
Mechanical control - Door Rack
Adjustable feet
Adjustable thermostat
Colour: White
Unit: W424x
D445x
H868mm



GOLDAIR

120 LITRE DOUBLE DOOR FRIDGE FREEZER

GDD-120S

Capacity(L)120L
Mechanical control - Door Rack
Adjustable feet
Adjustable thermostat
Colour: Silver
Unit: W424x
D445x
H868mm



GOLDAIR

130 LITRE DOUBLE DOOR FRIDGE FREEZER

GDD-130A

Capacity(L)130L
Mechanical control - Door Rack
Adjustable feet
Adjustable thermostat
Unit: W425x
D420x
H1005mm



GOLDAIR

610L SIDE BY SIDE REFRIGERATOR WITH WATER DISPENSER

GSS-610WD

Gross Capacity: 610L Colour: Gray,
Metal Door, Inverter, Frost Free
Recessed Handle,
Refrigerant:
R600a
Water Dispenser
Egg Tray,
Interior Light,
Vegetable Crisper
Size: 780*
713*1735

Inverter

GOLDAIR



500L 4 DOOR REFRIGERATOR

GFR-500DC

Colour: Silver
Door: Metal
Direct Cooling
Refrigerant
R600a
Egg Tray
Interior Light
Unit
Dimensions:
700x625
x1690mm



GOLDAIR

Whites

CATALOGUE

LAUNDRY/ DISHWASHER

DISHWASHER GDW-130S

GOLDAIR

13 Place Setting
Cold water Input
2 Layer Rack
Spray Arms Upper + Lower
Dimensions: 598*598*845



6KG FRONT LOADING WASHING MACHINE GFL-600

GOLDAIR

- 6kg Capacity Front Loader
- Intelligent Washing System
- Run Time Indicator
- Error Message Alarm
- Child Lock
- 24/6/8 Hour Time Delay
- 12 Preset Programs
- Rated Washing Power: 100W
- Rated Spinning Power: 450W
- Max. Power: 1600W
- Colour: White



8KG TUMBLE DRYER GTD-800

GOLDAIR


Dry Capacity: 8kg
Programme Time at full load: 170 min
Timer controlled drying
Depth with loading door open: 1030mm
Dimensions: 595x555x850mm (W*D*H)



FRONT LOADER WASHING MACHINE - 10KG GFL-1000BDS SILVER

GOLDAIR

Wash Capacity: 10kg
Intelligent Washing System
LED Display
Run Time Indicator
Error Message Alarm
Child lock
No. of Programs: 14
0-24 Hour Time Delay
Rated Washing Power: 150W
Rated Spinning Power: 500W
Rated Heating Power: 1500W
Max Power: 1600W
Dimensions: 598x535x845mm (W*D*H)



MINI FOLDING WASHING MACHINE GMWM-18

GOLDAIR

- Power: 120W (Max)
- Capacity: 18L
- Mechanical Rotation Control
- Non-Slip Feet
- Foldable for Easy Storage
- Timer: 10mins
- 1 Speed for Wash
- Rotational Speed: 1280r/min
- Accessory: Plastic Basket for Drying



6 LITRE SINGLE TUB WASHING MACHINE GMWM-45


GOLDAIR

- Power: 235W • Capacity: 6L
- Attachment for Sneakers or Running Shoes
- Unit Size: 345x335x450mm
- Accessories: Gravity Water Outlet, Cleaning Brush Attachment, Spin Basket



JVC

MDA



LOCAL 2026

UPDATED 18 SEPTEMBER 2025

42 LITRE MICROWAVE

WG-NMWB42B5S

ELECTRONIC CONTROL - 900W OUTPUT POWER
5 LEVELS - TURNTABLE GLASS 315MM
DEFROST SETTING - FULL AUTO
DIMENSION 540X413X337



30 LITRE DIGITAL MICROWAVE

WG-NMWS30B5S


950W 5 POWER LEVELS, TIMER
TURNTABLE 315MM
DIMENSION 510X382.5X304.5



70L TOUCH CONTROL OVEN

WG-NBOE70B5S

FULL TOUCH COLOUR DIGITAL CONTROL-9 FUNCTIONS
BLACK TEMPERED GLASS PANEL
UPPER ELEMENT
1800 + 1000W
LOWER ELEMENT
900W
COOLING FAN
FRONT AND REAR
SS HANDLE
DOUBLE GLASS
DIMENSION
600X547X600



110L BUILT IN ELECTRIC OVEN

TOUCH CONTROL

WG-NBO110B5S


Black Tempered Glass, 10 functions: 110 Litre, Full sensor touch control, Blue LED Display, Mirror Glass Door, Rotisserie, Cooling fan, Removable side rack, Top, bottom, back grill, 3360W
Dimensions: 465x570x900mm



5 BURNER GLASS GAS HOB

WG-NBH90GB5S

TEMPERED BLACK GLASS COOKTOP 8MM - TRIPLE RING WOK
BURNER 3.3KW - RAPID BURNER 1X 2.0KW - SEMI RAPID 1.75KW X2
AIXILLARY BURNER 1KW X1 PAN SUPPORT CAST IRON
PULSE IGNITION WITH SAFETY DIMENSION TBA



4 BURNER GLASS GAS HOB

WG-NBH60GB5S


TEMPERED BLACK GLASS COOKTOP 8MM BURNER 1 X3.3KW
+ 2 X1.75HKW + 1 X1KW PAN SUPPORT CAST IRON PULSE IGNITION
DIMENSION TBA



5 ZONE CERAMIC HOB

WG-NBHE90B5S

5 ZONE CERAMIC HOB- BLACK VITROCERAMIC GLASS
TOUCH CONTROL - AUTO SAFETY SWITCH OFF
HIGH HEAT PROTECTION - TOTAL 8500W - 2X1200W +1X1800W
+1X2000W +1X2300W S5 ZONES - 2X165MM +1X200MM
+1X230MM+1X270MM DIMENSION 900X520X52
BUILT IN SIZE 872X492



ELECTRIC OVEN + 4 HOTPLATES

WG-NFOE60B5S

600 MM ELECTRIC OVEN
PLUS HOB (4 SOLID PLATES)
HOB – 4X SOLID PLATES
(2X1500W + 2X1000W)
OVEN UPPER ELEMENT
2200W DOWN 2000W
OVEN CAPACITY 150LT
TIMER/CLOCK/TEMPERATURE/
ROTISSERIE
OVEN LIGHT
GRILL +1 OVEN TRAY
FULL GLASS DOOR
BACK CONTROLS
DIMENSIONS
595X560X815(EXCLUDING
BACKSPLASH 280MM)



900MM FREESTANDING GAS/ELECTRIC COOKER

WG-NFOC90B5S

COOKTOP MATT SS
BODY BLACK
4 GAS BURNER +
1 ELECTRIC HOTPLATE
ENAMEL PANEL SUPPORT
TEMPERED GLASS COVER
ELECTRIC OVEN WITH
3 FUNCTION
THERMOMETER ON
OVEN DOOR
DIMENSION 90X55X85



450L UPRIGHT SINGLE DOOR FRIDGE

WG-NRFL45Z5S

GROSS 450L
NETT 360L
UPRIGHT LARDER
FROST FREE
ENERGY
CLASS E (A++)
TEMP CONTROL
ELECTRONIC
COLOUR INNOX
DIMENSION
595X625X1850



350L PIGEON PAIR FREEZER

WG-NRFF35Z5S

GROSS 350L
NETT 265L
UPRIGHT FREEZER
FROST FREE
ENERGY CLASS
E (A++)
TEMP CONTROL
ELECTRONIC
COLOUR INNOX
DIMENSION
595X625X1850



400L UPRIGHT SINGLE DOOR FRIDGE

WG-NRFL40Z5S

GROSS 400L
NETT 335L
UPRIGHT LARDER
DIRECT COOLING
ELECTRONIC
CONTROL
ENERGY LEVEL E
DIMENSION
595X595X1745



320L PIGEON PAIR FREEZER DIRECT COOLING

WG-NRFF32Z5S

GROSS 320L
NETT 235L
UPRIGHT FREEZER
DIRECT COOLING
ELECTRONIC
CONTROL
ENERGY LEVEL E
DIMENSION
595X595X1745



FROST FREE 370L UPRIGHT FREEZER

WG-NRFF37S5S

GROSS 370L
NETT 311L
ENERGY CLASS F
CLIMATE T
INVERTOR
DIMENSION
595X723X1640



750 LITRE T DOOR WITH ICE MAKER AND WINE COOLER **WG-NRFSSWIS5S**

GROSS CAPACITY 750 LITRE
NETT 529 (212 + 166)
FROST FREE
INVERTOR COMPRESSOR
CLIMATE CLASS T
EFFICIENCY E /A
R600A
GLASS DOOR
911X706X1830



730 LITRE SIDE BY SIDE WITH AUTO ICE MAKER + PIPE CONNECTION VERSION+ MINI BAR **WG-NRFSSII5S**

730L GROSS
CAPACITY
NETT 556 (372 + 171)
FROST FREE
INVERTOR COMPRESSOR
CLIMATE CLASS T
ENERGY E (A++)
DIMENSION
911X706X1780



550L SIDE BY SIDE REFRIGERATOR WITH WATER DISPENSER **WG-NRFSSWB4S**

550L SIDE BY SIDE WITH
NETT 372 (230 + 142)
WATER DISPENSER
GROSS CAPACITY 550 LITRE
FROST FREE
INVERTOR COMPRESSOR
CLIMATE CLASS T
EFFICIENCY E /A
R600A
780X628X1735




470L SIDE BY SIDE REFRIGERATOR **WG-NRFSSFB5S**

GROSS CAPACITY 470L
NETT 339 (199 + 140)
COLOUR BLACK
FROST FREE
CLIMATE CLASS T
ENERGY F
DIMENSION
753X575
X1730



500L MULTI DOOR FROST FREE REFRIGERATOR **WG-NRF464B4S BLACK**

GROSS 500L NETT 400L (220 + 146)
GLASS DOOR FROST FREE
FREEZER 6 DRAWERS
REFRIGERATOR 2 SHELVES
+6 BOTTLE
RACK
+CRISPER
R600A
CLIMATE T
ENERGY F
DIMENSION
750X615X1830



560L TOP MOUNT WITH WATER DISPENSER FF

WG-NRFT56B5S

560L TOP MOUNT WITH
WATER DISPENSER FF
GROSS 560L NETT 395L (298 +97)
FROST FREE
INVERTOR COMPRESSOR
COLOUR DARK SILVER
CLIMATE CLASS T
ENERGY E (A++)
DIMENSION
720X655X1760
BLACK GLASS



320L FROST FREE TOP MOUNT **WG-NRFT32S5S**

GROSS 320L
NETT 196L (141+55)
ENERGY E
CLIMATE CLASS T
INVERTOR
DIMENSION
550X595X1420



450 LITRE COMBI FROST FREE GLASS DOOR REFRIGERATOR

WG-NRFB45B5S

GROSS CAPACITY
450L
NETT 290L (201+89)
R600A CLIMATE T
ENERGY E
REFRIGERATOR :
2 SHELF +3 DOOR
BALCONY
+1 CRISPER
FREEZER
DRAWER 2+1
DIMENSION
595X600X1850



310 LITRE FROST FREE COMBI REFRIGERATOR **WG-NRFB31S5S**

GROSS CAPACITY 310L
NETT 198L (127+63)
ELECTRONIC
CONTROL
DARK SILVER
LED LIGHTS
ENERGY E (A++)
DIMENSION
480X600X1585



320L UNDERCOUNTER 3 DOOR BEVERAGE COOLER WG-NRFB32B5S

45 BOTTLE/CANS
COOLING :AUTO
CONDENSING WATER
EVAPORATING
SYSTEM +FAN
ELECTRONIC
CONTROLLER
LED LIGHT
LOCKABLE
TEMPERED
GLASS
R600A
POWER 180W
DIMENSION
1350X530X900



210L UNDERCOUNTER 2 DOOR BEVERAGE COOLER WG-NRFB21B5S

30 BOTTLE/CANS
COOLING :AUTO
CONDENSING
WATER
EVAPORATING
SYSTEM +FAN
ELECTRONIC
CONTROLLER
LED LIGHT
LOCKABLE
TEMPERED
GLASS
R600A
POWER 150W
DIMENSION
900X530X900



160L WINE/ BEVERAGE COOLER WG-NRFW16B5S

UNDERCOUNTER –
BUILT IN
COMPRESSOR DUAL
ZONE DIRECT
COOLING
TOUCH CONTROL
REFRIGERANT
R600A
WINE
18 BOTTLES
DIMENSION
696X481X827



118L UNDERCOUNTER DUAL ZONE WINE COOLER WG-NRFW21B5S

49 BOTTLES
FAN COOLING
FROST FREE
ELECTRONIC
CONTROLLER
R600A
REVERSABLE DOOR
DIMENSION
500X600X850



UNDERCOUNTER 35 BOTTLE WINE COOLER WG-NRFW35B5S

NETT CAPACITY
95 LITRES – 35 BOTTLES
BEVELED LED
DISPLAY CONTROL
PANEL
BEECHWOOD
SHELVES
LED TOP LIGHTING
DIMENSION
480X478X828



GLASS DOOR DESIGN BAR REFRIGERATOR WITH ICE MAKER WG-NRF110B5S

GROSS CAPACITY 110L
NETT CAPACITY 85L
CLIMATE CLASS N
ENERGY E/F
DIMENSION
445X421X855



8KG FRONT LOADER

WG-NLDF08H5S

WASH CAPACITY: 8KG
14 PROGRAMMES
DRUM VOLUME: (L) 52
MAX SPIN RPM: 1200
MOTOR TYPE: BLDC
WATERPROOF: IPX4
CONTROL PANEL:
MANUAL/ DISPLAY
DOOR: DOUBLE
DIMENSIONS:
598X465X845



12KG FRONT LOADER

WG-NLDF12H5S

WASH CAPACITY: 12KG
14 PROGRAMMES
DRUM VOLUME: (L) 75
MAX SPIN RPM: 1400
MOTOR TYPE: DD MOTOR
WATERPROOF: IPX4
CONTROL PANEL:
TOUCH CONTROL
DOOR: DOUBLE
DIMENSIONS:
598X625X845



12KG WASHER/ 8KG DRYER

WG-NLDC12S4S

Capacity(kg) Wash: 12
Dry: 8
Max Spin capacity:
1400rpm
Motor Type: BLDC
Size: 600x610x850 mm



9KG AIR VENTED DRYER

WG-NLDD09H5S

UNIVERSAL MOTOR
ELECTRONIC
TOUCH CONTROL
INNER BARRELL 102L
NOISE 68DB
DRYING POWER 1800W
ANTI CREASE FUNCTION
DIMENSION
598X555X845



FLOOR CARE

ALL PRICES EXCLUDING VAT

CATALOGUE



UPDATED: 18 SEPTEMBER 2025



Disclaimer: While every care has been exercised in compiling and publishing the data contained in these pages, NWI accepts no responsibility for errors of or omissions to the information.

FLOOR CARE

PRODUCT CATALOGUE

CORDLESS VACUUM CCVC-2000

Suction: 2000Pa
Material: ABS+AS
Rate speed: 40000rpm/Min
Rated power: 13W
Parts: Suction nozzle, Brush,
Blow, Type-C Cable
Product size: 340x140x55mm
Product weight: 235g
Duration time: 20 min



CONTI

CORDLESS VACUUM CWDV-217 BLACK

Cordless Vacuum
Suction Power: 3000pa
Dust Capacity: 0,4L
Max Power 120W
Battery Capacity: 1800mAh2
HEPA Filter
Accessories: Brush Nozzle,
Crevice Nozzle,
Extension Hose,
USB Charging
Cable



CONTI

STICK VACUUM CLEANER CSV-821

2 in 1 Handheld Stick Vacuum Cleaner
Bagless Technology
Cyclone System
Easy-Empty Dust Cup
Capacity: 0.5L
Suction Power: $\geq 90W$
Vacuum: $\geq 14Kpa$
Air flow: $\geq 0.80m^3/min$
Noise: $\leq 70dB$
230V~ 50Hz 600W

Accessories:
1pc Big Brush
1pc 2-in-1 Small Brush
1pc Nozzle



CONTI

CYCLONIC VACUUM CLEANER CCB-2200

Cyclonic Bagless Design
2.8 Litre Capacity
5m Power Cord
Stepless Power Control
High Dust Capacity
Washable
HEPA Filter
Easy Glide Wheels
Auto Cord
Rewinder
2200W

Accessories:
Hose
Plastic Tubes
Crevice Nozzle
Sofa Brush
Floor Brush



CONTI

WET AND DRY VACUUM CLEANER CWD-2012

20 Litre Capacity
Wet, Dry and Blow function
Accessories Storage on Base
Waterproof Switch
Cable Length: 5m
Hose: 1.5m
Power: 1200W
Accessories:
Hose
Plastic Tubes
Crevice Nozzle
Sofa Brush
HEPA Filter



CONTI

REPLACEMENT PAPER BAG 5 PCS CSV-12SBAG

6001889037242



CONTI

CYLINDER CLOTH REPLACEMENT BAG 3 PCS CCV-1400BLBAG

6001889044042

CYLINDER CLOTH REPLACEMENT BAG 1 PC CCV-1600BAG

WET DRY VAC REPLACEMENT BAG 3 PCS CWDS-1400BAG

6001889048101